



G and C Coal Analysis Lab., Inc.

1341 Hoffman Hollow Road

Summerville, Pa 15864

814-849-2559

Fax: 814-849-8878

FREEDPORT AREA SCHOOL DISTRICT

ATTN: ERIC D. MAILKI
625 SOUTH PIKE ROAD
SARVER, PA 16055-9202

PA DEP Lab# 33-00325

BUFFALO

Date Received:

8/1/2019

Lab #	Sample Date	Sample Time	Location	Parameter	Method	Quantitation Limit	Result	Code	Units	Analyst	DATE ANALYZED
650794	8/1/2019	1220	BUFF001A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650795	8/1/2019	1221	BUFF001B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650796	8/1/2019	1225	BUFF002A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650797	8/1/2019	1226	BUFF002B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650798	8/1/2019	1230	BUFF003A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650799	8/1/2019	1231	BUFF003B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650800	8/1/2019	1234	BUFF004A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650801	8/1/2019	1235	BUFF004B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650802	8/1/2019	1240	BUFF006A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650803	8/1/2019	1241	BUFF006B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650804	8/1/2019	1246	BUFF007A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650805	8/1/2019	1247	BUFF007B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650806	8/1/2019	1249	BUFF008A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650807	8/1/2019	1251	BUFF008B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650808	8/1/2019	1255	BUFF009A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650809	8/1/2019	1256	BUFF009B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650810	8/1/2019	1258	BUFF010A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650811	8/1/2019	1259	BUFF010B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650812	8/1/2019	1302	BUFF011A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650813	8/1/2019	1303	BUFF011B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650814	8/1/2019	1307	BUFF012A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650815	8/1/2019	1308	BUFF012B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650816	8/1/2019	1311	BUFF013A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650817	8/1/2019	1312	BUFF013B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650818	8/1/2019	1316	BUFF014A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650819	8/1/2019	1317	BUFF014B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650820	8/1/2019	1321	BUFF015A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650821	8/1/2019	1322	BUFF015B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650822	8/1/2019	1325	BUFF016A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650823	8/1/2019	1326	BUFF016B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650824	8/1/2019	1328	BUFF017A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650825	8/1/2019	1329	BUFF017B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650826	8/1/2019	1333	BUFF018A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650827	8/1/2019	1334	BUFF018B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650828	8/1/2019	1340	BUFF019A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650829	8/1/2019	1341	BUFF019B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650830	8/1/2019	1345	BUFF020A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650831	8/1/2019	1346	BUFF020B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650832	8/1/2019	1349	BUFF021A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650833	8/1/2019	1350	BUFF021B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650834	8/1/2019	1353	BUFF022A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19



G and C Coal Analysis Lab., Inc.

1341 Hoffman Hollow Road

Summerville, Pa 15864

814-849-2559

Fax: 814-849-8878

FREEPORT AREA SCHOOL DISTRICT
ATTN: ERIC D. MAILKI
625 SOUTH PIKE ROAD
SARVER, PA 16055-9202

PA DEP Lab# 33-00325


BUFFALO

Date Received:

8/1/2019

Lab #	Sample Date	Sample Time	Location	Parameter	Method	Quantitation Limit	Result	Code	Units	Analyst	DATE ANALYZED
650835	8/1/2019	1354	BUFF022B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650836	8/1/2019	1358	BUFF023A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650837	8/1/2019	1359	BUFF023B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19

Approved by: _____


Michael J. Chestnut, Water Lab Director

Date: 08/14/18

Codes:

- 1: GGA check out of range
- 2: Results are not covered by the lab's scope of accreditation
- 3: Results are not bracketed by acceptable quality control
- 4: Does not satisfy the 2 + 1 Rule
- 5: Sample did not meet preservation requirements
- 6: Analysis performed by client
- 7: Holding time exceeded
- 8: Laboratory fortified matrix out of range
- 9: Not a method certified by PA DEP
- 10: Duplicate analysis do not agree

N.D. - Not Detectable
N/A - Not Applicable
" ~ " means " estimate "



G and C Coal Analysis Lab., Inc.

1341 Hoffman Hollow Road

Summerville, Pa 15864

814-849-2559

Fax: 814-849-8878

FREEPORT AREA SCHOOL DISTRICT
 ATTN: ERIC D. MAILKI
 625 SOUTH PIKE ROAD
 SARVER, PA 16055-9202

PA DEP Lab# 33-00325

ATHLETIC STADIUM

Date Received: 8/1/2019

Lab #	Sample Date	Sample Time	Location	Parameter	Method	Quantitation Limit	Result	Code	Units	Analyst	DATE ANALYZED
650706	8/1/2019	0915	STAD001A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650707	8/1/2019	0916	STAD001B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650708	8/1/2019	0919	STAD002A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650709	8/1/2019	0920	STAD002B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650710	8/1/2019	0921	STAD003A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650711	8/1/2019	0922	STAD003B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19

Approved by: 
 Michael J. Chestnut, Water Lab Director

Date: 08/13/19

- Codes:**
- 1 : GGA check out of range
 - 2 : Results are not covered by the lab's scope of accreditation
 - 3 : Results are not bracketed by acceptable quality control
 - 4 : Does not satisfy the 2 + 1 Rule
 - 5 : Sample did not meet preservation requirements
 - 6 : Analysis performed by client
 - 7 : Holding time exceeded
 - 8 : Laboratory fortified matrix out of range
 - 9 : Not a method certified by PA DEP
 - 10 : Duplicate analysis do not agree

N.D. - Not Detectable
 N/A - Not Applicable
 " ~ " means " estimate "



G and C Coal Analysis Lab., Inc.

1341 Hoffman Hollow Road

Summerville, Pa 15864

814-849-2559

Fax: 814-849-8878

FREEPORT AREA SCHOOL DISTRICT
 ATTN: ERIC D. MAILKI
 625 SOUTH PIKE ROAD
 SARVER, PA 16055-9202

PA DEP Lab# 33-00325

KELLY BUILDING

Date Received:

8/1/2019

Lab #	Sample Date	Sample Time	Location	Parameter	Method	Quantitation Limit	Result	Code	Units	Analyst	DATE ANALYZED
650790	8/1/2019	1159	KELLY001A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650791	8/1/2019	1202	KELLY001B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650792	8/1/2019	1212	KELLY002A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650793	8/1/2019	1213	KELLY002B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19

Approved by:

Michael J. Chestnut, Water Lab Director

Date: 08/13/18

Codes:

- 1 : GGA check out of range
- 2 : Results are not covered by the lab's scope of accreditation
- 3 : Results are not bracketed by acceptable quality control
- 4 : Does not satisfy the 2 + 1 Rule
- 5 : Sample did not meet preservation requirements
- 6 : Analysis performed by client
- 7 : Holding time exceeded
- 8 : Laboratory fortified matrix out of range
- 9 : Not a method certified by PA DEP
- 10 : Duplicate analysis do not agree

N.D. - Not Detectable
 N/A - Not Applicable
 " ~ " means " estimate"



G and C Coal Analysis Lab., Inc.

1341 Hoffman Hollow Road

Summerville, Pa 15864

814-849-2559

Fax: 814-849-8878

FREEPORT AREA SCHOOL DISTRICT
 ATTN: ERIC D. MAILKI
 625 SOUTH PIKE ROAD
 SARVER, PA 16055-9202

PA DEP Lab# 33-00325

MIDDLE SCHOOL

Date Received:

8/1/2019

Lab #	Sample Date	Sample Time	Location	Parameter	Method	Quantitation Limit	Result	Code	Units	Analyst	DATE ANALYZED
650712	8/1/2019	0931	MS001A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650713	8/1/2019	0933	MS001B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650714	8/1/2019	0935	MS002A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650715	8/1/2019	0936	MS002B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650716	8/1/2019	0937	MS003A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650717	8/1/2019	0938	MS003B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650718	8/1/2019	0941	MS004A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650719	8/1/2019	0942	MS004B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650720	8/1/2019	0945	MS005A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650721	8/1/2019	0946	MS005B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650722	8/1/2019	0948	MS006A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650723	8/1/2019	0949	MS006B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650724	8/1/2019	0951	MS007A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650725	8/1/2019	0952	MS007B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650726	8/1/2019	0954	MS008A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650727	8/1/2019	0955	MS008B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650728	8/1/2019	0957	MS009A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650729	8/1/2019	0958	MS009B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650730	8/1/2019	0959	MS010A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650731	8/1/2019	1000	MS010B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650732	8/1/2019	1005	MS011A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650733	8/1/2019	1006	MS011B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650734	8/1/2019	1010	MS012A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650735	8/1/2019	1011	MS012B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650736	8/1/2019	1014	MS013A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650737	8/1/2019	1015	MS013B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650738	8/1/2019	1019	MS014A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650739	8/1/2019	1020	MS014B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650740	8/1/2019	1024	MS015A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650741	8/1/2019	1025	MS015B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650742	8/1/2019	1029	MS016A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650743	8/1/2019	1030	MS016B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650744	8/1/2019	1034	MS017A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650745	8/1/2019	1035	MS017B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650746	8/1/2019	1037	MS018A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650747	8/1/2019	1038	MS018B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650748	8/1/2019	1041	MS019A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650749	8/1/2019	1042	MS019B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650750	8/1/2019	1045	MS020A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650751	8/1/2019	1046	MS020B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650752	8/1/2019	1101	MS021A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19



G and C Coal Analysis Lab., Inc.

1341 Hoffman Hollow Road

Summerville, Pa 15864

814-849-2559

Fax: 814-849-8878

FREEPORT AREA SCHOOL DISTRICT
 ATTN: ERIC D. MAILKI
 625 SOUTH PIKE ROAD
 SARVER, PA 16055-9202

PA DEP Lab# 33-00325


MIDDLE SCHOOL

Date Received:

8/1/2019

Lab #	Sample Date	Sample Time	Location	Parameter	Method	Quantitation Limit	Result	Code	Units	Analyst	DATE ANALYZED
650753	8/1/2019	1102	MS021B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650754	8/1/2019	1105	MS022A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650755	8/1/2019	1106	MS022B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650756	8/1/2019	1111	MS023A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650757	8/1/2019	1112	MS023B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650758	8/1/2019	1115	MS024A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650759	8/1/2019	1116	MS024B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650780	8/1/2019	1118	MS005-1A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650781	8/1/2019	1119	MS005-1B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650782	8/1/2019	1124	MS008-1A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650783	8/1/2019	1125	MS008-1B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650784	8/1/2019	1131	MS009-1A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650785	8/1/2019	1132	MS009-1B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/08/19
650786	8/1/2019	1136	MS009-2A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650787	8/1/2019	1137	MS002-2B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650788	8/1/2019	1142	MS018-1A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19
650789	8/1/2019	1143	MS018-1B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/12/19

Approved by:




Michael J. Chestnut, Water Lab Director

Date: 08/13/18

Codes:

- 1: GGA check out of range
- 2: Results are not covered by the lab's scope of accreditation
- 3: Results are not bracketed by acceptable quality control
- 4: Does not satisfy the 2 + 1 Rule
- 5: Sample did not meet preservation requirements
- 6: Analysis performed by client
- 7: Holding time exceeded
- 8: Laboratory fortified matrix out of range
- 9: Not a method certified by PA DEP
- 10: Duplicate analysis do not agree

N.D. - Not Detectable
 N/A - Not Applicable
 " ~ " means " estimate "



G and C Coal Analysis Lab., Inc.

1341 Hoffman Hollow Road

Summerville, Pa 15864

814-849-2559

Fax: 814-849-8878

FREEMONT AREA SCHOOL DISTRICT
 ATTN: ERIC D. MAILKI
 625 SOUTH PIKE ROAD
 SARVER, PA 16055-9202


PA DEP Lab# 33-00325

HIGH SCHOOL

Date Received:

8/1/2019

Lab #	Sample Date	Sample Time	Location	Parameter	Method	Quantitation Limit	Result	Code	Units	Analyst	DATE ANALYZED
650646	8/1/2019	0611	HS001A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650647	8/1/2019	0612	HS001B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650648	8/1/2019	0615	HS002A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650649	8/1/2019	0616	HS002B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650650	8/1/2019	0617	HS003A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650651	8/1/2019	0619	HS003B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650652	8/1/2019	0623	HS004A	Lead	SM 3113 B	0.0050	0.0055		mg/L	MC	08/06/19
650653	8/1/2019	0624	HS004B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650654	8/1/2019	0631	HS005A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650655	8/1/2019	0633	HS005B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650656	8/1/2019	0639	HS006A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650657	8/1/2019	0641	HS006B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650658	8/1/2019	0645	HS007A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650659	8/1/2019	0647	HS007B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650660	8/1/2019	0654	HS008A	Lead	SM 3113 B	0.0050	0.0051		mg/L	MC	08/06/19
650661	8/1/2019	0656	HS008B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650662	8/1/2019	0659	HS009A	Lead	SM 3113 B	0.0050	0.0154		mg/L	MC	08/06/19
650663	8/1/2019	0701	HS009B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650664	8/1/2019	0709	HS010A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650665	8/1/2019	0711	HS010B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650666	8/1/2019	0715	HS011A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650667	8/1/2019	0716	HS011B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650668	8/1/2019	0720	HS012A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650669	8/1/2019	0722	HS012B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650670	8/1/2019	0725	HS013A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650671	8/1/2019	0727	HS013B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650672	8/1/2019	0730	HS014A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650673	8/1/2019	0731	HS014B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650674	8/1/2019	0734	HS015A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650675	8/1/2019	0736	HS015B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650676	8/1/2019	0740	HS016A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650677	8/1/2019	0742	HS016B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650678	8/1/2019	0745	HS017A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650679	8/1/2019	0748	HS017B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650680	8/1/2019	0750	HS018A	Lead	SM 3113 B	0.0050	0.0110		mg/L	MC	08/06/19
650681	8/1/2019	0751	HS018B	Lead	SM 3113 B	0.0050	0.0055		mg/L	MC	08/06/19
650682	8/1/2019	0753	HS019A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650683	8/1/2019	0755	HS019B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650684	8/1/2019	0757	HS020A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/06/19
650685	8/1/2019	0758	HS020B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650686	8/1/2019	0801	HS021A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19



G and C Coal Analysis Lab., Inc.
 1341 Hoffman Hollow Road
 Summerville, Pa 15864
 814-849-2559
 Fax: 814-849-8878

FREEPORT AREA SCHOOL DISTRICT
 ATTN: ERIC D. MAILKI
 625 SOUTH PIKE ROAD
 SARVER, PA 16055-9202

PA DEP Lab# 33-00325

HIGH SCHOOL

Date Received

8/1/2019

Lab #	Sample Date	Sample Time	Location	Parameter	Method	Quantitation Limit	Result	Code	Units	Analyst	DATE ANALYZED
650687	8/1/2019	0803	HS021B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650688	8/1/2019	0805	HS022A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650689	8/1/2019	0807	HS022B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650690	8/1/2019	0810	HS023A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650691	8/1/2019	0812	HS023B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650692	8/1/2019	0815	HS024A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650693	8/1/2019	0816	HS024B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650694	8/1/2019	0820	HS025A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650695	8/1/2019	0822	HS025B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650696	8/1/2019	0827	HS026A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650697	8/1/2019	0830	HS026B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650698	8/1/2019	0835	HS027A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650699	8/1/2019	0836	HS027B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650700	8/1/2019	0845	HS029A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650701	8/1/2019	0847	HS029B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650702	8/1/2019	0850	HS030A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650703	8/1/2019	0852	HS030B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19

Approved by:

Michael J. Chestnut, Water Lab Director

Date: 08/08/18

Codes:

- 1: GGA check out of range
- 2: Results are not covered by the lab's scope of accreditation
- 3: Results are not bracketed by acceptable quality control
- 4: Does not satisfy the 2 + 1 Rule
- 5: Sample did not meet preservation requirements
- 6: Analysis performed by client
- 7: Holding time exceeded
- 8: Laboratory fortified matrix out of range
- 9: Not a method certified by PA DEP
- 10: Duplicate analysis do not agree

N.D. - Not Detectable
 N/A - Not Applicable
 " ~ " means " estimate"



G and C Coal Analysis Lab., Inc.

1341 Hoffman Hollow Road

Summerville, Pa 15864

814-849-2559

Fax: 814-849-8878

FREEPORT AREA SCHOOL DISTRICT
ATTN: ERIC D. MAILKI
625 SOUTH PIKE ROAD
SARVER, PA 16055-9202

PA DEP Lab# 33-00325

ADMIN OFFICE

Date Received:

8/1/2019

Lab #	Sample Date	Sample Time	Location	Parameter	Method	Quantitation Limit	Result	Code	Units	Analyst	DATE ANALYZED
650704	8/1/2019	0905	ADMIN A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19
650705	8/1/2019	0906	ADMIN B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/07/19

Approved by:


Michael J. Chestnut, Water Lab Director

Date: 08/13/18

Codes:

- 1 : GGA check out of range
- 2 : Results are not covered by the lab's scope of accreditation
- 3 : Results are not bracketed by acceptable quality control
- 4 : Does not satisfy the 2 + 1 Rule
- 5 : Sample did not meet preservation requirements
- 6 : Analysis performed by client
- 7 : Holding time exceeded
- 8 : Laboratory fortified matrix out of range
- 9 : Not a method certified by PA DEP
- 10 : Duplicate analysis do not agree

N.D. - Not Detectable
N/A - Not Applicable
" ~ " means " estimate "



G and C Coal Analysis Lab., Inc.
 1341 Hoffman Hollow Road
 Summerville, Pa 15864
 814-849-2559
 Fax: 814-849-8878

FREEPORT AREA SCHOOL DISTRICT
 ATTN: ERIC D. MAILKI
 625 SOUTH PIKE ROAD
 SARVER, PA 16055-9202

PA DEP Lab# 33-00325

SOUTH BUFFALO

Date Received:

8/1/2019

Lab #	Sample Date	Sample Time	Location	Parameter	Method	Quantitation Limit	Result	Code	Units	Analyst	DATE ANALYZED
650838	8/1/2019	1409	SB001A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650839	8/1/2019	1410	SB001B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650840	8/1/2019	1412	SB002A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650841	8/1/2019	1413	SB002B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650842	8/1/2019	1415	SB003A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650843	8/1/2019	1416	SB003B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650844	8/1/2019	1420	SB004A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650845	8/1/2019	1421	SB004B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650846	8/1/2019	1423	SB005A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650847	8/1/2019	1424	SB005B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650848	8/1/2019	1426	SB007A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650849	8/1/2019	1427	SB007B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650850	8/1/2019	1430	SB008A	Lead	SM 3113 B	0.0050	0.0177		mg/L	MC	08/13/19
650851	8/1/2019	1431	SB008B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650852	8/1/2019	1435	SB009A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650853	8/1/2019	1436	SB009B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650854	8/1/2019	1439	SB010A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650855	8/1/2019	1440	SB010B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650856	8/1/2019	1442	SB011A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650857	8/1/2019	1443	SB011B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650858	8/1/2019	1448	SB012A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650859	8/1/2019	1449	SB012B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650860	8/1/2019	1453	SB013A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650861	8/1/2019	1454	SB13B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650862	8/1/2019	1456	SB014A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650863	8/1/2019	1457	SB014B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650864	8/1/2019	1459	SB015A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650865	8/1/2019	1500	SB015B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/13/19
650866	8/1/2019	1504	SB016A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/14/19
650867	8/1/2019	1506	SB016B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/14/19
650868	8/1/2019	1510	SB017A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/14/19
650869	8/1/2019	1512	SB017B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/14/19
650870	8/1/2019	1514	SB018A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/14/19
650871	8/1/2019	1515	SB018B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/14/19
650872	8/1/2019	1517	SB019A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/14/19
650873	8/1/2019	1518	SB019B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/14/19
650874	8/1/2019	1520	SB020A	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/14/19
650875	8/1/2019	1521	SB020B	Lead	SM 3113 B	0.0050	<0.0050		mg/L	MC	08/14/19



G and C Coal Analysis Lab., Inc.
1341 Hoffman Hollow Road
Summerville, Pa 15864
814-849-2559
Fax: 814-849-8878

FREEPORT AREA SCHOOL DISTRICT
ATTN: ERIC D. MAILKI
625 SOUTH PIKE ROAD
SARVER, PA 16055-9202

PA DEP Lab# 33-00325

SOUTH BUFFALO

Date Received: 8/1/2019

Lab #	Sample Date	Sample Time	Location	Parameter	Method	Quantitation Limit	Result	Code	Units	Analyst	DATE ANALYZED
-------	-------------	-------------	----------	-----------	--------	--------------------	--------	------	-------	---------	---------------

Approved by: 
Michael J. Chestnut, Water Lab Director

Date: 08/14/18

Codes:

- 1 : GGA check out of range
- 2 : Results are not covered by the lab's scope of accreditation
- 3 : Results are not bracketed by acceptable quality control
- 4 : Does not satisfy the 2 + 1 Rule
- 5 : Sample did not meet preservation requirements
- 6 : Analysis performed by client
- 7 : Holding time exceeded
- 8 : Laboratory fortified matrix out of range
- 9 : Not a method certified by PA DEP
- 10 : Duplicate analysis do not agree

N.D. - Not Detectable
N/A - Not Applicable
" ~ " means " estimate"